

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings of claims in the application:

**Listing of Claims:**

1-22. (Canceled)

23. (Currently amended) A composition comprising an isolated cell population having human dendritic cells, wherein said cell population has been cultured in the presence of granulocyte-macrophage colony stimulating factor (GM-CSF), interleukin 4 (IL-4), ~~and no additional cytokine~~, and exposed *in vitro* to a soluble prostate antigen, the cell population having an increased ability to activate T cells specific to the prostate antigen as compared to a similar isolated cell population cultured in the presence of granulocyte-macrophage colony stimulating factor (GM-CSF), and interleukin 4 (IL-4), ~~and no additional cytokine~~, that has not been exposed *in vitro* to the prostate antigen.

24. (Previously presented) The composition according to claim 23, in which the prostate antigen is a lysate of LNCaP cells, a membrane preparation of LNCaP cells, a lysate of prostate tumor cells from a prostate cancer patient, a membrane preparation of prostate tumor cells from a prostate cancer patient, isolated prostate specific membrane antigen (PSMA), purified prostate specific membrane antigen (PSMA), a peptide having the amino acid sequence LLHETDSAV (SEQ ID NO: 1), a peptide having the amino acid sequence ALFDIESKV (SEQ ID NO: 2), a peptide having the amino acid sequence XL(or M)XXXXXV(or L) (SEQ ID NO: 3), where X represents any amino acid, purified prostate specific antigen (PSA), or a purified prostate mucin antigen recognized by monoclonal antibody PD41.

25. (Withdrawn) The composition according to claim 23, in which the prostate antigen is selected from the group consisting of:

WLCAGALVL (SEQ. ID. NO. 4); VLAGGFLL (SEQ. ID. NO. 5);  
ELAHYDVLL (SEQ. ID. NO. 6); NLNGAGDPL (SEQ. ID. NO. 7);

TLRVDCTPL (SEQ. ID. NO. 8); VLRMMNDQL (SEQ. ID. NO. 9);  
PMFKYHLTV (SEQ. ID. NO. 10); NMKAFLDEL (SEQ. ID. NO. 11);  
LMYSLVHNL (SEQ. ID. NO. 12); MMNDQLMFL (SEQ. ID. NO. 13);  
EGDLVYVNY (SEQ. ID. NO. 14); AGDPLTPGY (SEQ. ID. NO. 15);  
RVDCTPLMY (SEQ. ID. NO. 16); LFEPPPPGY (SEQ. ID. NO. 17);  
TYELVEKFY (SEQ. ID. NO. 18); AGESFPGIY (SEQ. ID. NO. 19);  
WGEVKRQIY (SEQ. ID. NO. 20); IVRSFGTLKKE (SEQ. ID. NO. 21);  
DELKAENIKKF (SEQ. ID. NO. 22); KSLYESWTKKS (SEQ. ID. NO. 23);  
AYINADSSI (SEQ. ID. NO. 24); KYADKIYSI (SEQ. ID. NO. 25);  
GYYDAQKLL (SEQ. ID. NO. 26); TYSVSFDSL (SEQ. ID. NO. 27);  
NYARTEDFF (SEQ. ID. NO. 28); LYSDPADYF (SEQ. ID. NO. 29);  
LPSIPVHPI (SEQ. ID. NO. 30); SPSPEFSGM (SEQ. ID. NO. 31);  
VLVHPQWUL (SEQ. ID. NO. 32); KLQCVDLHV (SEQ. ID. NO. 33);  
ALPERPSLY (SEQ. ID. NO. 34); JVGGWECEK (SEQ. ID. NO. 35);  
QVHPQKVTK (SEQ. ID. NO. 36); VVHYRKWIK (SEQ. ID. NO. 37);  
CYASGWGSI (SEQ. ID. NO. 38).

26. (Original) The composition according to claim 23, in which the dendritic cells are extended life span dendritic cells.

27. (Withdrawn) The composition according to claim 23, in which the prostate tissue antigen is:

WLCAGALVL (SEQ. ID. NO. 4); VLAGGFFLL (SEQ. ID. NO. 5);  
ELAHYDVLL (SEQ. ID. NO. 6); NLNGAGDPL (SEQ. ID. NO. 7);  
TLRVDCTPL (SEQ. ID. NO. 8); VLRMMNDQL (SEQ. ID. NO. 9);  
PMFKYHLTV (SEQ. ID. NO. 10); NMKAFLDEL (SEQ. ID. NO. 11);  
LMYSLVHNL (SEQ. ID. NO. 12); MMNDQLMFL (SEQ. ID. NO. 13);  
EGDLVYVNY (SEQ. ID. NO. 14); AGDPLTPGY (SEQ. ID. NO. 15);  
RVDCTPLMY (SEQ. ID. NO. 16); LFEPPPPGY (SEQ. ID. NO. 17);

TYELVEKFY (SEQ. ID. NO. 18); AGESFPGIY (SEQ. ID. NO. 19);  
WGEVKRQIY (SEQ. ID. NO. 20); IVRSFGTLKKE (SEQ. ID. NO. 21);  
DELKAENIKKF (SEQ. ID. NO. 22); KSLYESWTKKS (SEQ. ID. NO. 23);  
AYINADSSI (SEQ. ID. NO. 24); KYADKIYSI (SEQ. ID. NO. 25);  
GYFDAQKLL (SEQ. ID. NO. 26); TYSVSFDSL (SEQ. ID. NO. 27);  
NYARTEDFF (SEQ. ID. NO. 28); LYSDPADYF (SEQ. ID. NO. 29);  
LPSIPVHPI (SEQ. ID. NO. 30); SPSPEFSGM (SEQ. ID. NO. 31);  
VLVHPQWUL (SEQ. ID. NO. 32); KLQCVDLHV (SEQ. ID. NO. 33);  
ALPERPSLY (SEQ. ID. NO. 34); JVGWECEK (SEQ. ID. NO. 35);  
QVHPQKVTK (SEQ. ID. NO. 36); VVHYRKWIK (SEQ. ID. NO. 37); or  
CYASGWGSI (SEQ. ID. NO. 38).

28. (Previously presented) The composition according to claim 23, in which the dendritic cells have been cryopreserved prior to exposure in vitro to the prostate antigen, wherein said dendritic cells retain the ability to take up and present antigen.

29. (Previously presented) The composition according to claim 28, in which the prostate antigen is a lysate of LNCaP cells, a membrane preparation of LNCaP cells, a lysate of prostate tumor cells from a prostate cancer patient, a membrane preparation of prostate tumor cells from a prostate cancer patient, isolated prostate specific membrane antigen (PSMA), purified prostate specific membrane antigen (PSMA), a peptide having the amino acid sequence LLHETDSAV (SEQ. ID. NO. 1), a peptide having the amino acid sequence ALFDIESKV (SEQ. ID. NO. 2), a peptide having the amino acid sequence XL(or M)XXXXXV(or L) (SEQ. ID. NO. 3), where X represents any amino acid, purified prostate specific antigen (PSA), or a purified prostate mucin antigen recognized by monoclonal antibody PD41.

30. (Previously presented) The composition according to claim 28, in which the dendritic cells are extended life dendritic cells.

31. (Previously presented) The composition according to claim 23, wherein said dendritic cells can activate 2 to 3 fold more T cells specific to the prostate antigen as compared to an isolated cell population cultured in the presence of granulocyte-macrophage colony stimulating factor (GM-CSF) and interleukin 4 (IL-4) that has not been exposed *in vitro* to the prostate antigen.

32. (Previously presented) The composition according to claim 23, wherein the human dendritic cells are immature dendritic cells.

33. (Previously presented) The composition according to claim 23, wherein the T cells are CD4<sup>+</sup>.

34. (Previously presented) The composition according to claim 23, wherein the T cells are CD8<sup>+</sup>.

35. (Previously presented) The composition according to claim 23, wherein the dendritic cells are isolated from a prostate cancer patient.

36. (Previously presented) The composition according to claim 23, wherein the dendritic cells are isolated from a normal individual.

37. (Previously presented) The composition according to claim 36, wherein the dendritic cells are HLA-matched for the a recipient.